




INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification: B01L 3/00	A1	(11) International Publication Number: WO 87/ 03218 (43) International Publication Date: 4 June 1987 (04.06.87)
(21) International Application Number: PCT/US86/02535 (22) International Filing Date: 24 November 1986 (24.11.86) (31) Priority Application Number: 803,076 (32) Priority Date: 27 November 1985 (27.11.85) (33) Priority Country: US (71) Applicant: ALERCHEK ASSOCIATES, DBA ALERCHEK [US/US]; 203 Anderson Street, Portland, ME 04101 (US). (72) Inventor: HENRY, Wayne, M. ; 11 Bayberry Lane, Scarborough, ME 04074 (US). (74) Agents: DeCONTI, Giulio, A., Jr. et al.; Hamilton, Brook, Smith & Reynolds, Two Militia Drive, Lexington, MA 02173 (US).		(81) Designated States: AT (European patent), AU, BE (European patent), CH (European patent), DE (European patent), FR (European patent), GB (European patent), IT (European patent), JP, LU (European patent), NL (European patent), SE (European patent). Published <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>

(54) Title: A DISPOSABLE MICROTITER STICK



(57) Abstract

A disposable microtiter stick used in performing chemical immunoassay tests to determine allergies and ailments of humans and animals that comprises an elongated one-piece flat bottomed polystyrene stick (25) having a series of shallow lense-bottomed wells (26) and a handle extension (28) projected from one end thereby by which the stick can be grasped and lifted. The wells (26) are made shallow so they can be emptied simultaneously on taking the handle (28) and with but a flip of the stick (25) by snap of the wrist instantly ridged of their entire contents. A raised boundary border (31) extends about the top face of the stick (25) surrounding all of the wells (26) so that all wells (26) are filled all at one time with reagent or specimen by simply flooding the bordered top surface area of the stick (25). All of the surfaces of the stick (25) including the well wall surfaces, except for their optically transparent bottom lense (26') viewing areas, are frosted. The bottom surface of the stick (25) is flat so the stick (25) can be rested upon a flat supporting surface but is recessed beneath the lense view areas (26') so as to be kept from being scratched.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	FR	France	ML	Mali
AU	Australia	GA	Gabon	MR	Mauritania
BB	Barbados	GB	United Kingdom	MW	Malawi
BE	Belgium	HU	Hungary	NL	Netherlands
BG	Bulgaria	IT	Italy	NO	Norway
BJ	Benin	JP	Japan	RO	Romania
BR	Brazil	KP	Democratic People's Republic of Korea	SD	Sudan
CF	Central African Republic	KR	Republic of Korea	SE	Sweden
CG	Congo	LI	Liechtenstein	SN	Senegal
CH	Switzerland	LK	Sri Lanka	SU	Soviet Union
CM	Cameroon	LU	Luxembourg	TD	Chad
DE	Germany, Federal Republic of	MC	Monaco	TG	Togo
DK	Denmark	MG	Madagascar	US	United States of America
FI	Finland				

-1-

A DISPOSABLE MICROTITER STICKField of the Invention

05 This invention relates to medical apparatus in general and more particularly to a disposable microtiter stick for performing immunochemical tests.

Background of the Invention

10 In the performance of the chemical immunoassay tests with microtiter pieces, many filling, emptying and washing procedures are done that are time consuming. Prior microtiter pieces have had deep wells with cylindrical vertical side walls that have taken time to fill and are difficult to empty and clean. Expensive devices have been required to
15 separately fill and empty the individual deep wells with reagents and specimens and the tasks have been cumbersome and tedious. Accurate tests have not resulted from using these deep well pieces because full intimate contact of the fluids upon wall
20 surfaces of deep wells of clear plastic do not result and since there is optical interference between adjacent wells of the piece, good test and reliable readings have not always been determined.

25 According to the present invention, the microtiter stick is an elongated molded polystyrene strip, with a series of evenly linearly-spaced, shallow lensed bottom wells for receiving the fluids to be tested and has a handle extending from one end

-2-

by which the stick can be grasped. When the emptying of the wells is to be done, the stick is taken by its handle and by a snap of the wrist the wells are easily and quickly emptied. A raised border upon the top surface surrounds the wells and permits all the wells to be easily filled together by simply flooding the top surface area about the wells with the fluids. Both the filling and emptying of the wells is done without the need for expensive filling and decantation equipment. The well lense bottom portions are transparent while the well walls are frosted to eliminate optical color interference between adjacent wells and to increase in effect the available work surface area versus smooth optical surface throughout the well interior. The flat bottom surface of the stick is recessed to keep the bottom lense portions from being scratched as when the sticks are rested or slid upon a supporting surface. Further, these sticks are disposable with the completion of any one test.

It is the principal object of the present invention to provide a chemical immunoassay test stick with a most favorably shaped and finished surface test well for the residue and color analysis of the fluids being tested.

It is another object of the invention to provide an immunoassay test stick having a series of shallow-bottomed lense wells that are best shaped for effecting rapid, convenient, and accurate performance of immunoassay tests.

-3-

It is another object of the invention to provide an immunoassay test well stick with a handle extension by which the stick can be grasped and flipped with but a snap of the wrist thereby emptying all wells of their test fluids at one time and done without the need of expensive liquid decantation apparatus.

It is still another object of the invention to provide an immunoassay test stick in which optical interference between test wells has been eliminated so that more accurate readings will be obtained.

It is further object of the invention to provide an immunoassay test stick in which all of the test wells can be filled with specimens or reagents at one time by simply flooding the top surface of the stick about the well openings.

It is a further object of the invention to provide an immunoassay test stick in which the full interior wall surface of the well is available for immobilizing the antigens or antibodies.

It is a still further object of the invention to provide a immunoassay test stick that does not require any tray or rack for its support and that may be rested with safety upon any flat surface.

Briefly, present immunoassay test stick has a series of optically-shaped and frosted test wells except for their lense portions and a handle by which the stick can be picked up to empty the wells of their test fluids. The top surface of the stick has a boundary border around the wells so that all

-4-

of the wells can be filled at once by a controlled flooding of the top surface area.

One big advantage of the present stick is that it is convenient to use and requires little or no instrumentation to fill and empty in the performance of the immunoassay tests. A further advantage is that maximum capacity of each well is but 100 milliliters and automatic measured dispensing is easily achieved in one step by simply flooding the wells within boundary area with the test fluids.

For a better understanding of the invention, reference may be had to the following detailed description taken in connection with the accompanying drawing.

15 Summary of the Invention

The invention resides in a microtiter stick for use in performing immunochemical tests to determine the extent of the allergy content of a blood specimen by chemical treatment of the specimen. It comprises a transparent plastic like body having an affinity for protein. The body is elongated and has a flat top surface with a plurality of small shallow wells in the surface. The wells are aligned in a series along the body in a close proximity to one another. Each of the wells has an optically concave surface and the remainder is frosted to lessen color interference between wells and to improve its surface for the bonding of protein and chemical residues to the surface. A handle projects from one end of the body portion of the stick by which the

-5-

stick may be grasped and flipped to empty the wells of their contents when the tests have been performed. The body has a flat bottom supporting surface and is recessed provide portions of the
05 lenses of the well. These lense portions are spaced from the flat bottom to protect the lense portions from being scratched when the stick is placed on a supporting surface.

The upper surface of the body of the stick has
10 a boundary border in the form of a wall surrounding the flat top surface, the wall being located in close proximity to the well openings so that the wells may be simulataneously filled by controlled flooding of the top surface with specimen or rea-
15 gents used in testing. The stick is of a length sufficient to span the sides of a standard tray and has an extension at one end of accomodate an up-standing small projection at one side of the tray with the handle extending from the opposite side of
20 the body of the stick over the opposite side of the tray. The body of the stick is notched at the end opposite the handle to accomodate spaced inwardly extending projections on the opposite side of the tray while the handle portion is rested thereon.

25 The above and other features of the invention included various novel details of construction and combinations of parts will now be more particularly described with reference to the accompanying drawings and pointed out in the claims. It will be
30 understood that the particular microtiter stick embodying the invention is shown by way of

-6-

illustration only and not as limitation of the invention. The principles and features of this invention may be employed in varied and numerous embodiments without departing from the scope of the invention.

Brief Description of the Drawings

Figure 1 is a perspective view of a prior microtiter strip now used in performing immunoassay tests, and the like.

Figure 2 is a similar perspective view of the present invention in the form of a stick that has shallow wells and a handle by the use of which the stick can be flipped to empty the shallow wells of their fluid contents at times while carrying out the immunoassay tests.

Figure 3 is a fragmentary perspective view of both the prior and present pieces assembled together in a tray used to support the pieces while carrying out the immunoassay tests.

Figure 4 is a perspective view of the prior microtiter strip and the present stick with illustration being made of the manner in which their wells are filled from a squeeze bottle, the prior strip wells having been individually filled while shallow wells of the present stick may be filled by flooding the top surface of the stick.

Figure 5 is a top plan view of the present welled test stick shown in actual size.

-7-

Figure 6 is a longitudinal sectional view of the present stick as viewed on line 6-6 of Figure 5.

Figure 7 is a bottom plan view of the present stick.

05 Figure 8 is an enlarged end view of the stick as viewed upon its handle end.

Figure 9 is an enlarged cross-sectional view taken on line 9-9 of Figure 5.

10 Figure 10 is an enlarged end view of the other end of the stick.

15 Figure 11 is an enlarged fragmentary longitudinal sectional view showing the interior of the wells, the raised boundary border, and the lensed well bottom portions as viewed also on line 6-6 of Figure 5.

Figure 12 is an enlarged fragmentary bottom plan view looking upon the bottom of the stick and into the lense bottom recesses.

20 Figure 13 is a perspective view illustrating the manner in which the well contents of the stick are dumped as by grasping the stick by its handle and with but a snap of the wrist dumping its contents into a sink drain rather than by using costly apparatus for decantation of the individual wells.

25 Figure 14 is a perspective view of a photo-sensor arrangement for reading the residue showing upon the well lense portions at the completion of the tests.

-8-

Detailed Description of the Invention

Allergies resulting from numerous contagions in the air have long been determined of individuals by bringing together samples of the individual blood with the various contagions pre-disposed respectively in a series of wells within immunoassay test strips constructed in one form or another. Such contagions can be categorized as pollens from trees, grass and weeds, mold spores, animal dander, bacteria, dust mites and so on. The wells of the assay strips are pre-coated or supplied with the extracts of the contagion antigens prior to the carrying out of test with the blood specimens. When the blood sample of the patient is added and the excess blood subsequently decanted, the wells washed and with a tracer reagent, the wells will be colored in a degree to determine the extent that the patient is allergic to these contagions. With no coloring arising in any well, the patient will be regarded as immune to the particular allergy antigen of the one well.

Prior well strips 15 shown in Figures 1, 3 and 4 have been formed of transparent plastic and have a top flat strip 15' with a series of raised openings 16' from which depend cylindrical or test tube-like wells 16 that extend some one half inch in depth below the top flat strip 15'. The deep wells are interconnected with one another at their sides and their bottoms are closed by flat circular portions 16" upon which the residue results from the test will be observed. One end of the top flat strip 15' is extended at 17 and has a small hole 17' ther in

-9-

to fit over a small upstanding projection 19' of a tray 19 normally required for the support of the prior strips 15 to prevent spilling of their well contents, Figure 3. The other end of the top flat strip 15' is retained on the tray 19 at the opposite side between small inwardly-extending projections 19" that will lie astride end well portion 16 so that the well strip 15 is held against sliding displacement along the tray 19. A small window area 21 is provided in the opposite end extension 22 through which a raised indicia 23 on the tray frame may be read while the welled strip 15 over-lies the tray 19. A top hold down frame e 20 is placed over the collected strips 15 and such present sticks 25 which can be similarly assembled therewith upon this standard tray 19 to hold down all pieces against vertical displacement therefrom.

The prior deep welled strips 15 have to have their wells 16 filled individually with measured quantities of reagent or specimen as by the use of a pipette and that is a time consuming task. Decantation of the well 16 becomes a similar task and costly laboratory evacuation apparatus is required. Laboratory surroundings have had to be more or less available by the physician for the carrying out of immunoassay tests with these prior welled strips 15.

These prior deep welled strips 15 can be placed on a flat supporting surface, but because of their height they cannot be placed with safety while having liquid contents in them. They are easily upset and thus are dependent upon the tray 20 for

-10-

safe support. Thus, for filling and decantation operations they need to be assembled between the tray parts 19 and 20.

05 The flat bottom plates 16" of the cylindrical wells 16 of the prior strip 15 make for reading of the test results as to color with the projection of light from through the well bottoms. Such flat bottom plates 16" make for the existence of often unclean circular corners against their cylindrical
10 side walls and significant capillar effects arise thereby to reduce the accuracy of the readings.

The structural differences and advantages of the present microtiter stick 25 will now be made more apparent with the following detailed description taken in connection with the drawing. Both the
15 prior and present pieces are made of polystyrene, a plastic well known to have an affinity for capturing antigen and antibody proteins and to enhance the separation of solid matter during the solid phase cycles on pre-coating the stick wells and the
20 performing of the immunoassay tests. The prior flat bottom well plate 16" of the prior strip 15 while having the same affinity for proteins takes on a heterogeneous coating preparation due to the difficulty in cleaning of the corners of the flat bottom
25 plate 16" with its cylindrical wall and a heterogeneous specimen assay will result.

Because of numerous deficiencies of the prior strip 15, the present stick has been designed to
30 overcome such deficiencies to reduce labor in the use of the stick, facilitate the procedure of

-11-

carrying out of immunoassay tests, lessen the costly laboratory equipment needed in the carrying out of the assay tests as with the prior microtiter strips 15, and finally to make the procedure more adaptable to physicians and laboratory personnel.

The present microtiter stick 25 principally differs in construction from the prior strip 15 by the provision of but shallow well depressions 26 fashioned in a solid plastic body that are bottomed with optically transparent concaved lense portion 26' that conform to the rounded well bottom. On projecting light upwardly through these lense portions 26" onto a photo-sensor 35 see Figure 14, the solid material on the lense portion will be focused on a plane and be more accurately read with the photo-sensor instead of merely sensing through an unfocused plate bottom 16" of prior strip 15. By the focused lighting arrangement a better color interpretation will be obtained.

The present microtiter stick 25 is about the same size as the prior art strip 15 and can be placed therewith in the standard two-part tray 19-20, see Figure 3. The present stick has an end lip 27 with a small hole 27' therein for assembly over the small upstanding projection 19' on the tray bottom part 19. The other end of the present wellled stick 25 instead of a mere lip extension has an elongated handle extension 28 by which the stick 25 is handled at times of being placed upon the tray 19 or removed therefrom to empty its contents. This handle is also conveniently used to label the stick for

-12-

patient identification purposes deemed critical for retaining the integrity of results. The top tray part 20 is cutaway at 20' on one side to accommodate the handle extension 28. To retain the handle end of the stick against lateral displacement the bottom of the stick is placed between two inwardly-extending projections 19" of the tray 19. The depending body of the stick has spaced vertically-extending recesses 29 and 30 under the handle extension 28 to respectively receive the small inwardly-extending frame projections 19" as the stick 25 is laid down upon the tray 19. It should be seen that the handle 28 can be easily grasped to lift the stick 25 from the tray 19 and this is often done many times during the assay to rid the shallow wells 26 of their contents. By the wells 26 being shallow decantation devices are unnecessary to empty the wells. Simply by a grasp of the handle 28 by the thumb and forefinger the stick 25 can be lifted and with a snap of the wrist over a sink drain 31 in the manner illustrated in Figure 13, the wells are quickly and completely ridded of their contents. All wells are at once emptied with the flip of the stick. Implement decantation of the individual wells is therefore not needed.

To ensure that complete emptying of wells is effected, cylindrical wall have been eliminated and the wells are less than full semi-spherical shape as they may appear in the sectional views. The arc for the well shape is struck from a center point 32 as seen in Figure 9 that is raised from the flush top

-13-

surface of the stick, hence the wells at the top span a distance short of what would be the diameter for the center point, had not the center point been raised. A full diameter would give hesitation to
05 full dumping action and a dwell of the liquid over the top edge of the well. Thus, there is no semblance of a cylindrical well in the present stick.

An upstanding boundary border 31 surrounds all of the wells 26 running along the sides and across
10 the ends of the stick to permit flooding of the top surface of the stick for effecting simultaneous filling of the wells 26 with unmeasured quantities as from a squeeze bottle as shown in Figure 4. Each well 26 holds 100 microliters, suitable in volume
15 amount in drops for assay testing, and to obtain full colorization of the well surface. The resultant residue material will develop color and be read through bottom concaved lense area 26'. The boundary border 31 runs tangentially to the side
20 edges of the wells 26 with no surface area lying therebetween. The border 31 runs to the full extent of the eight wells and is closed off at 31' on the end projection 27 and at 31" on the opposite handle end 28. The wells are fully confined by the
25 boundary border 31 so that as illustrated in Figure 4 the entire series of wells 26 will by simple flooding with a squeeze bottle 32 or a free flowing device for spilling of the reagent or specimen on the top surface area, so that wells 26 will be
30 instantly filled to measured capacity with little excess overflow, and each well holding 100 microliters. A stream of large specimen drops 34 will

-14-

abound from bottle nozzle 33 to flood the top surface of the stick 25 and instantly fill the wells 26. It should be apparent that this flooding procedure cannot be effected with the deep welled prior stick 15 and as illustrated in Figure 4 the deep cylindrical wells will have had to have been filled separately and individually with the drops 34 from the squeeze bottle 32. Any measured quantity of blood specimen could have been ascertained only by counting the drops 34, short of the actual filling of the wells 16, unless and more often a pipette would have been used to discharge measured quantities into cylindrical wells.

It should be further apparent that with prior strips 15 comprising the deep transparent cylindrical test tube-like wells lying attached and closed upon one another that the optical readings of one well can be hampered by optical interference of the showing of the other wells so that true readings of the respective wells are not so likely to prevail. With the present stick 25, the construction is inherently different. The wells 26 are not tubes as with the prior stick 15, but are mere shallow and frosted openings formed with inclined walls in the stick's solid body and without cylindrical well walls and such that there can be little, if any, optical interference between adjacent wells.

To further assure against possible optical interference, the present stick 25 is frosted throughout all of its surface areas except for the relatively small surface area of the well lensed

-15-

portions 26'. The frosting extends over all surfaces, top, sides, bottom and down into the shallow wells 26, except for their lensed bottoms 26'.

05 However, it can be sufficient if but the wells and top surface can be frosted. Any light transfer from a source, not only between wells, will be diffused by the frosting. The wells by themselves will also be given by the frosting therein effective added contact surface area to ensure that adequate coating
10 densities will be obtained for better observation of test results. The affinity action of proteins upon the polystyrene thus has been enhanced by the frosting.

15 The frosting will have first been made upon the molding surface of the stainless steel die parts and such frosting transferred during the molding operation onto the molded work body. The die parts are frosted by an electrolytic etching procedure or by any other accepted frosting procedures. Corresponding frosting upon the work stick is thus obtained from the dies. To ensure that the lense portions 26' will be clear, the lense areas of the dies are smoothly ground toward infinite fineness and its clarity is transferred to the plastic work
25 stick body. From so formed die parts, sticks frosted except from the lense areas are produced ready for use, inexpensively and are disposable after final use in the carrying out of the assay tests. The sticks will have been pre-coated with
30 specified antigen or antibody proteins prior to

-16-

their delivery to physicians and laboratories, and ready for use.

05 The present stick 25 has a flat bottom surface in which the area beneath the lense portions 26 are recessed. Such recesses will keep the lense portions from being scratched. The flat bottom surface allows the present stick to be rested upon a flat supporting surface and not easily turned over, thereby permitting its use without the need for tray 10 19. With the frosting extending over the handle data marks can be made thereon.

15 The present stick will be pre-coated with antigens and antibodies in accordance with the physician's specifications and requirements and varying for different geographical locations. There are different allergy contagions for the different locations which will be predetermined and known to the physician within his given geographical area.

20 Some of the common allergy contagions are pollen from trees, grass and weeds, mold spores suspended in air, on surface and in bread, animal dander, bacteria, dust mites, and so on. The wells of the present stick are pre-coated with any of these antigens, one antigen for each well and such 25 other antigens not named that are available in serum form for the purpose. In the pre-coating of these sticks, all wells can be filled simultaneously in measured quantities of the different antigens by a multiple dispensing apparatus upon advancing the 30 sticks thereunder in a step by step procedure. After the stick wells have been dehydrated and the

-17-

antigens reacted with the polystyrene surface of the wells, the sticks are made ready for distribution to physicians and laboratory users.

05 In the use of these sticks, the physicians and
users will merely supply the patient's specimen and
reagents and wash liquids to carry on known steps of
procedure until a color reading will be seen of more
or less color density of the residue material
overlying the frosted well surfaces and on the
10 unfrosted lense areas 26'. Ordinarily, the results
of the assay test can be readily determined by
merely viewing the well for the color intensities
but for a more accurate determination by subjecting
the stick to a light source 37, Figure 14, and at
15 the proper focal point the residue upon the lense
may be observed with a photo-sensor 35. All the
readings will be free of optical interferences
between wells due to the wells being shallow and
frosted. In the carrying out of these tests, usual
20 decantation of the individual wells has been unneces-
sary. The physician will have emptied the well
contents by grasping of the handle and with a mere
snapping of the wrist disposing of the well contents
into a sink drain. The procedure requires reagents,
25 wash liquids and color developing liquids as well as
the blood specimens, the use of all of which will be
greatly expedited with the present stick. Once the
allergy has been determined, its antigens can be
injected into the patient to give him immunity and
30 freedom from his ailment.

-18-

It should be understood the present stick can be used for tests other than for blood allergies as for urine and other natural fluids. With the sticks being pre-coated with reagents used in carrying out such other clinical tests and need only the addition of the natural specimen to determine the nature of possible ailment of the patient. As well as immuno-assay tests, micro, solid phase enzyme-linked adsorbent assays (micro ELISA) can be carried out with the present sticks. The veterinarian will also find these sticks handy in carrying out tests with animal fluids.

It is understood that both antigens and antibodies are proteins and that they lock with one another upon being brought together in the assay tests. Each of the wells of the microtiter stick is coated with but a specific antigen or antibody depending upon the nature of the assay to be made. Because of the natural affinity of these proteins to a hydrophobic surface such as that of polystyrene, these two proteins irreversibly bind, absorb or combined with the pre-coated surface upon the well walls. By frosting the well wall surface enlarges the availability surface of the well and thereby the capacity and the efficiency of the well surface is increased. Excess solution of the antigens or antibodies are decanted and washed free of the well matrices, the well matrix is air dried and stored for use in determining any of the many possible conditions of the patient.

-19-

The physician simply adds the blood specimen of the patient to the coated well stick. After incubation any corresponding antibody in the specimen will bind or lock with corresponding antigen (allergen) of the antigen-coated well. The quantity of the antibody so bound depends upon how much there is of the antibody in the body fluid, the amount of the antibody that has been captured on the well wall surface, the affinity of the capture, the proximity of contact between the entire body of the specimen and the coated surface, the homogeneity of the exposure of specimen body to the coated well wall and the spacial molecular arrangement of the antigens.

Once the antigen pre-coated wells have been exposed to the human blood specimen, and the corresponding antibodies bound and locked with the pre-coated antigens of the wells, the wells are incubated. After suitable washing and removal of unbound material suitable animal antibodies having enzymes and have color forming molecules attached to them are added to the well already pretreated with the human blood specimen, and with further incubation, washing and removal of material and then by the use of subsequent corresponding enzyme substrate, the well surfaces will develop color of intensities proportional to the level of antibodies contained in the patient's blood specimen and with the degree of coloring being noted, the physician is immediately advised of the type and degree of the

-20-

allergy of his patient. The assay will have been finally completed.

05 The degree or intensity of the color is proportional to the amount of antibody that was bound upon the well wall from the body specimen. These procedures have been very successful for measuring different types of antibodies and will be greatly enhanced and improved when carried out with the present sticks. Costly special filling and decantation equipment will no longer be necessary. Deep wells are no longer a problem. By the provision of the bottom well lense, the interpretation of the color development has been greatly facilitated.

15 The prior microtiter strip 15 and its bottom plate 16" has had many optical shortcomings since it has only provided low plate surface area for the specimen and cylindrical wall areas of the well optically finished and not involved in optical observation. Color development has been less easily delineated due to inter-well interference due to such optically clear surfaces but unavailable for the viewing or sensing color development. With the present shallow walls the full surface areas are available for sensing of color development.

25 Further, it should be seen that the present stick has been designed for easy molding. That the present stick 25 is less than one-half the height of the prior strip 15 and can be safely rested upright on a flat supporting surface without the need of a tray and at the same time can be used in the trays along with the prior strips.

30

-21-

While various changes may be made in the details construction, it shall be understood that such changes shall be within the spirit and scope of the present invention as defined by the appended claims.

05

-22-

CLAIMS

- 05 1. A microtiter stick adapted for use in performing immunoassay tests comprising a solid plastic body having one or more shallow wells therein upon surfaces of which resultant residue may be collected from the tests and observed, each well being rounded on its bottom and struck from a compass point externally of its internal space and the diameter of the opening being of less diameter than that of a circle that would be prescribed therefrom.
- 10 2. A microtiter stick adapted for use in performing immunoassay tests as defined in claim 1 and said plastic body being elongated and the shallow well openings running in series therealong and a handle portion projecting from one end of the body by which the stick may be grasped and flipped to rid the wells of their contents.
- 15 3. A microtiter stick adapted for use in performing immunoassay tests as defined in claim 1 and the bottom of said wells being in the form of a concave lense portion through which an image of residue extending over its surface area may be projected from the plastic body upon a micro-sensor or screen.
- 20 25

-23-

4. A microtiter stick adapted for use in performing immunoassay tests as defined in claim 3 and said plastic body having a flat bottom supporting surface and being recessed to expose the lense portion of the well removed from the flat bottom surface whereby to protect the lense portion against being scratched upon the stick being placed upon a supporting surface.
5. A microtiter stick adapted for use in performing immunoassay tests as defined in claim 2 and said plastic body having a top flat surface about the well opening and a boundary border about the flat surface and the well openings whereby the wells may be filled by controlled flooding of the top surface about the well opening with specimen or reagents used in the test.
6. A microtiter stick adapted for use in performing immunoassay tests and the like as defined in claim 2 and said elongated plastic body being of a length to span the sides of a standard tray and having an extension at one end to accomodate the upstanding small projection at one side of the tray and said handle portion extending from the opposite end of body portion over the other side of the tray, said body portion being notched at the opposite sides of its handle end to accomodate

-24-

spaced inwardly-extending projections on the opposite side of the tray while the handle portion is rested thereover.

- 05 7. A microtiter stick adapted for use in performing immunoassay tests and the like as defined in claim 3 and the surfaces of the wells being frosted except for the bottom lense area to allow added residue build upon the major well surface and reduce optical color
- 10 interference between adjacent wells within the body.
- 15 8. A microtiter stick adapted for use in performing immunoassay tests as defined in claim 6 and 7 the plastic body being further frosted through its other surfaces therefor and over the handle portion to permit data information to be marked thereupon and to improve the grip when used.




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 14





Fig. 13



INTERNATIONAL SEARCH REPORT

International Application No. PCT/US 86/02535

I. CLASSIFICATION OF SUBJECT MATTER (If several classification symbols apply, indicate all) ⁶ According to International Patent Classification (IPC) or to both National Classification and IPC IPC ⁴ : B 01 L 3/00																				
II. FIELDS SEARCHED <div style="text-align: center; border-top: 1px solid black; border-bottom: 1px solid black; margin: 5px 0;">Minimum Documentation Searched ⁷</div> <table style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 25%; border-bottom: 1px solid black;">Classification System</th> <th style="border-bottom: 1px solid black;">Classification Symbols</th> </tr> <tr> <td style="border-right: 1px solid black; padding: 5px;">IPC ⁴</td> <td style="padding: 5px;">B 01 L 3/00; G 01 N 33/00</td> </tr> </table> <div style="text-align: center; border-top: 1px solid black; border-bottom: 1px solid black; margin: 5px 0;">Documentation Searched other than Minimum Documentation to the Extent that such Documents are Included in the Fields Searched ⁸</div>			Classification System	Classification Symbols	IPC ⁴	B 01 L 3/00; G 01 N 33/00														
Classification System	Classification Symbols																			
IPC ⁴	B 01 L 3/00; G 01 N 33/00																			
III. DOCUMENTS CONSIDERED TO BE RELEVANT ⁹ <table style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 10%; border-bottom: 1px solid black;">Category ⁹</th> <th style="border-bottom: 1px solid black;">Citation of Document, ¹¹ with Indication, where appropriate, of the relevant passages ¹²</th> <th style="width: 10%; border-bottom: 1px solid black;">Relevant to Claim No. ¹³</th> </tr> <tr> <td style="text-align: center; vertical-align: top; padding: 5px;">Y</td> <td style="padding: 5px;">FR, A, 2423769 (COCHARD & FINMAN) 16 November 1979 see page 1, lines 1-10; page 1, lines 38,39; page 2, lines 16-19; page 2, lines 25-35; page 3, lines 14-17; page 3, lines 32-38; page 4, lines 4-7; figure 2; claims 1,3 --</td> <td style="text-align: center; vertical-align: top; padding: 5px;">1</td> </tr> <tr> <td style="text-align: center; vertical-align: top; padding: 5px;">Y</td> <td style="padding: 5px;">US, A, 3938961 (T.O. LANIER) 17 February 1976 see column 1, line 67 - column 2, line 27; column 2, lines 37-44; figures 1,3; claims 2-5 --</td> <td style="text-align: center; vertical-align: top; padding: 5px;">1</td> </tr> <tr> <td style="text-align: center; vertical-align: top; padding: 5px;">A</td> <td style="padding: 5px;">--</td> <td style="text-align: center; vertical-align: top; padding: 5px;">2,6</td> </tr> <tr> <td style="text-align: center; vertical-align: top; padding: 5px;">A</td> <td style="padding: 5px;">AT, B, 170898 (TALBERT TALÁLMÁNYOKAT ÉRTEKESÍTŐ NEMZETI VÁLLALAT) 10 April 1952 see page 2, lines 6-29,37-44,59-71; page 3, lines 50-60; claims 1,6,7,11; figures 3,4 --</td> <td style="text-align: center; vertical-align: top; padding: 5px;">1,3</td> </tr> <tr> <td style="text-align: center; vertical-align: top; padding: 5px;">A</td> <td style="padding: 5px;">FR, A, 2359422 (DYNATECH MOLDINGS LTD) 17 February 1978 --</td> <td style="text-align: center; vertical-align: top; padding: 5px;">./.</td> </tr> </table>			Category ⁹	Citation of Document, ¹¹ with Indication, where appropriate, of the relevant passages ¹²	Relevant to Claim No. ¹³	Y	FR, A, 2423769 (COCHARD & FINMAN) 16 November 1979 see page 1, lines 1-10; page 1, lines 38,39; page 2, lines 16-19; page 2, lines 25-35; page 3, lines 14-17; page 3, lines 32-38; page 4, lines 4-7; figure 2; claims 1,3 --	1	Y	US, A, 3938961 (T.O. LANIER) 17 February 1976 see column 1, line 67 - column 2, line 27; column 2, lines 37-44; figures 1,3; claims 2-5 --	1	A	--	2,6	A	AT, B, 170898 (TALBERT TALÁLMÁNYOKAT ÉRTEKESÍTŐ NEMZETI VÁLLALAT) 10 April 1952 see page 2, lines 6-29,37-44,59-71; page 3, lines 50-60; claims 1,6,7,11; figures 3,4 --	1,3	A	FR, A, 2359422 (DYNATECH MOLDINGS LTD) 17 February 1978 --	./.
Category ⁹	Citation of Document, ¹¹ with Indication, where appropriate, of the relevant passages ¹²	Relevant to Claim No. ¹³																		
Y	FR, A, 2423769 (COCHARD & FINMAN) 16 November 1979 see page 1, lines 1-10; page 1, lines 38,39; page 2, lines 16-19; page 2, lines 25-35; page 3, lines 14-17; page 3, lines 32-38; page 4, lines 4-7; figure 2; claims 1,3 --	1																		
Y	US, A, 3938961 (T.O. LANIER) 17 February 1976 see column 1, line 67 - column 2, line 27; column 2, lines 37-44; figures 1,3; claims 2-5 --	1																		
A	--	2,6																		
A	AT, B, 170898 (TALBERT TALÁLMÁNYOKAT ÉRTEKESÍTŐ NEMZETI VÁLLALAT) 10 April 1952 see page 2, lines 6-29,37-44,59-71; page 3, lines 50-60; claims 1,6,7,11; figures 3,4 --	1,3																		
A	FR, A, 2359422 (DYNATECH MOLDINGS LTD) 17 February 1978 --	./.																		
<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p>¹⁰ Special categories of cited documents:</p> <p>"A" document defining the general state of the art which is not considered to be of particular relevance</p> <p>"E" earlier document but published on or after the international filing date</p> <p>"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</p> <p>"O" document referring to an oral disclosure, use, exhibition or other means</p> <p>"P" document published prior to the international filing date but later than the priority date claimed</p> </div> <div style="width: 45%;"> <p>"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</p> <p>"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step</p> <p>"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.</p> <p>"A" document member of the same patent family</p> </div> </div>																				
IV. CERTIFICATION <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; border-bottom: 1px solid black; padding: 5px;">Date of the Actual Completion of the International Search</td> <td style="width: 50%; border-bottom: 1px solid black; padding: 5px;">Date of Mailing of this International Search Report</td> </tr> <tr> <td style="border-bottom: 1px solid black; padding: 5px;">26th February 1987</td> <td style="border-bottom: 1px solid black; padding: 5px; text-align: right;">F. 2 APR 1987</td> </tr> <tr> <td style="border-bottom: 1px solid black; padding: 5px;">International Searching Authority</td> <td style="border-bottom: 1px solid black; padding: 5px;">Signature of Authorized Officer</td> </tr> <tr> <td style="padding: 5px; text-align: center;">EUROPEAN PATENT OFFICE</td> <td style="padding: 5px; text-align: right;"> </td> </tr> </table>			Date of the Actual Completion of the International Search	Date of Mailing of this International Search Report	26th February 1987	F. 2 APR 1987	International Searching Authority	Signature of Authorized Officer	EUROPEAN PATENT OFFICE											
Date of the Actual Completion of the International Search	Date of Mailing of this International Search Report																			
26th February 1987	F. 2 APR 1987																			
International Searching Authority	Signature of Authorized Officer																			
EUROPEAN PATENT OFFICE																				

III. DOCUMENTS CONSIDERED TO BE RELEVANT (CONTINUED FROM THE SECOND SHEET)		
Category *	Citation of Document, with indication, where appropriate, of the relevant passages	Relevant to Claim No
A	US, A, 3692498 (M.E. FRANK et al.) 19 September 1972 -----	

ANNEX TO THE INTERNATIONAL SEARCH REPORT ON

INTERNATIONAL APPLICATION NO. PCT/US 86/02535 (SA 15486)

This Annex lists the patent family members relating to the patent documents cited in the above-mentioned international search report. The members are as contained in the European Patent Office EDP file on 10/03/87

The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
FR-A- 2423769	16/11/79	DE-A,C 2915145	31/10/79
US-A- 3938961	17/02/76	None	
AT-B- 170898		None	
FR-A- 2359422	17/02/78	NL-A- 7708176	25/01/78
		DE-A- 2633283	26/01/78
		US-A- 4154795	15/05/79
		GB-A- 1584589	11/02/81
		DE-A- 2733214	29/06/78
		GB-A- 1585768	11/03/81
US-A- 3692498	19/09/72	None	

For more details about this annex :
see Official Journal of the European Patent Office, No. 12/82